

KQN-M4/-6



Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Version	cable lug, terminal end,4 mm ² - 6 mm ²
Order No.	<u>1493950000</u>
Туре	KQN-M4/-6
GTIN (EAN)	4050118303919
Qty.	100 ST



KQN-M4/-6

ECLASS 15.0



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals			
nppi ovais			
ROHS	Conform		
Dimensions and weights			
Net weight	1.4 g		
Environmental Product Co	mpliance		
RoHS Compliance Status	Compliant without exemp	otion	
REACH SVHC	No SVHC above 0.1 wt%		
Connectors			
Conductor cross-section, max.	6 mm²	Conductor cross-section, min.	4 mm²
Insulation	not available	Hole	M 4
Inside diameter of shaft (d1)	3.6 mm	Outside diameter of shaft (d3)	8 mm
Shaft length (a)	6 mm	Connection length (I)	14 mm
Inside diameter of flange (d2)	4.3 mm		
Classifications			
ETIM 6.0	EC001059	ETIM 7.0	EC001059
ETIM 8.0	EC001059	ETIM 9.0	EC001059
ETIM 10.0	EC001059 EC001059	ECLASS 9.0	27-40-02-12
ECLASS 9.1	27-40-02-12	ECLASS 10.0	27-40-02-12
ECLASS 11.0	27-40-02-12	ECLASS 12.0	27-40-02-12
ECLASS 13.0	27-40-02-12	ECLASS 14.0	27-40-02-12

27-40-02-12

Catalogue status / Drawings 2

Data sheet






Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings



KQN-M4/-6



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Crimping tools



Crimping tools for non-insulated connectors Rolled cable lugs, tubular cable lugs, terminal pins, parallel and serial connectors

- · Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Type HTN 21
Order No. 9014610000
GTIN (EAN) 4008190152734
Oty. 1 ST

Version

Pressing tool, Crimping tool for contacts, 0.5mm², 6mm², Indent

crimp

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Туре	EPG 45	Version
Order No.	<u>1500830000</u>	Pressing tool, 6mm², 150mm², Hexagonal crimp, WM crimp, Indent
GTIN (EAN)	4050118309317	crimp, Trapezoidal crimp, Oval crimping
Qty.	1 ST	
Туре	EPG 60	Version
Order No.	2453810000	Pressing tools, Tools, Pressing tool, 6mm², 300mm², Hexagonal
GTIN (EAN)	4050118468434	crimp, WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping
Qty.	1 ST	
Туре	HPG 60	Version
Order No.	2453820000	6mm², 300mm², Hexagonal crimp, WM crimp, Indent crimp,
GTIN (EAN)	4050118468427	Trapezoidal crimp, Oval crimping
Qty.	1 ST	
Туре	APG 80	Version
Order No.	<u>1502390000</u>	6mm², 400mm²
GTIN (EAN)	4050118310627	
Qty.	1 ST	

Catalogue status / Drawings 4