

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



The Klippon® TB enclosure range provides excellent performance characteristics, even under the most difficult environmental conditions. In addition, it complies with the stricter requirements of potentially explosive atmospheres found specifically in the process or power generation industries. The Klippon® TB MH enclosure range offers further improvements to a product line that is already successfully leading the market.

The Klippon® TB MH enclosure range has the following advantages:

- Available in 15 sizes and 3 standard depths
- Equipped with up to 4 gland plates
- The gasket is protected against compression
- Completely removable padlock tab
- Cover lock outside the sealed zone
- Improved temperature performance
- IP66/IP67 protection
- Completely removable lid without a tool
- Earthing stud in the cover and base of the enclosure
- Welded mounting feet
- · International approvals

General ordering data

Version	Klippon TB MH (Terminal Box - Multi Hinge), Empty enclosure, stainless steel enclosure, Height: 406 mm, Width: 406 mm, Depth: 200 mm, Gland plates: Bottom, Material: Stainless steel 1.4404 (316L), electropolished, silver
Order No.	8000108844
Туре	KTB MH 404020 S4E1
GTIN (EAN)	4099986661561
Qty.	1 ST





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

0

Technical data

Approvals			
Approvals		2	
трргочиз	(€	ì	
ROHS	Conform		
Dimensions and weights			
Depth	200 mm	Depth (inches)	7.874 inch
Height	406 mm	Height (inches)	15.9842 inch
Width	406 mm	Width (inches)	15.9842 inch
Net weight	11950 g		
Temperatures			
	22.22.42.5.22		
Operating temperature	-60 °C135 °C	Note: room temperature (service)	Limited to IP66 protection when used in temperatures greater tha 105 °C.
Environmental Product Comp	oliance		
RoHS Compliance Status	Compliant with exemp	tion	
	6c		
RoHS Exemption (if applicable/known) REACH SVHC	6c Lead 7439-92-1		
RoHS Exemption (if applicable/known) REACH SVHC SCIP			
RoHS Exemption (if applicable/known) REACH SVHC	Lead 7439-92-1		
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left	Lead 7439-92-1 64dfc213-93f0-4c79-8	Bffa-c97fa9dcb873	0
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63	Lead 7439-92-1 64dfc213-93f0-4c79-8	Bffa-c97fa9dcb873	0
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29	Bffa-c97fa9dcb873 M75 M50	3
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16	M75 M50 M32	3 5
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29	Bffa-c97fa9dcb873 M75 M50	3
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6	M75 M50 M32	3 5
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4	M75 M50 M32 M20	3 5 13
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6	M75 M50 M32 M20	3 5 13
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4	M75 M50 M32 M20	3 5 13 0 16
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75 M40	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4	M75 M50 M32 M20 M63 M16 M50	3 5 13 0 16 3
RoHS Exemption (if applicable/known) REACH SVHC SCIP	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4	M75 M50 M32 M20	3 5 13 0 16
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75 M40 M32	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4	M75 M50 M32 M20 M63 M16 M50	3 5 13 0 16 3
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75 M40 M32 M12 Cable glands, top/bottom	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4 6 0 4 5 29	M75 M50 M32 M20 M63 M16 M50 M20	3 5 13 0 16 3 13
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75 M40 M32 M12 Cable glands, top/bottom	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4 5 29	M75 M50 M32 M20 M63 M16 M50 M20 M12	3 5 13 0 16 3 13
RoHS Exemption (if applicable/known) REACH SVHC SCIP Cable glands, left M63 M12 M16 M25 M40 Cable glands, right M25 M75 M40 M32 M12	Lead 7439-92-1 64dfc213-93f0-4c79-8 0 29 16 6 4 6 0 4 5 29	M75 M50 M32 M20 M63 M16 M50 M20	3 5 13 0 16 3 13

Creation date 23.07.2025 10:49:58 MEZ

4

39

M50

M16

Catalogue status / Drawings 2

M75





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Certificate numbers enclosure	e		
Cautificata Na III II.a. I.a.	F222702	Declaration of Conformativ No. /DeC	DE DC261V 160412
Certificate No. UL Haz.Loc.	E223792	Declaration of Conformatiy No. (DoC LVD)	DE PS261X 160412 001ISS03
Certificate No. UL Ord.Loc.	E243298	Certificate No. UL 508A	E223801
Attestation of Conformatiy No. (AoC)	DE PS261X 160309 001ISS06	Certificate No. UL Terminal Box	E223792
Certificate no. empty enclosure (INMETRO)	LMP 21.0016U	Certificate no. Terminal Box (ATEX)	IBExU14ATEX1050
Certificate no. empty enclosure (ATEX)	IBExU14ATEX1028 U	Certificate no. Terminal Box (INMETRO)	LMP 21.0017
Certificate no. Terminal Box (IECEx)	IECEXIBE14.0013	Certificate no. empty enclosure (IECEx)	IECEx IBE 14.0004U
Approval conditions	ATEX, IECEX, INMETRO, cULus		
General information			
Material thickness of cover	1.5 mm	Material thickness of flange	3 mm
Material thickness of enclosure	1.5 mm	Silicone	Yes
Operating temperature, max.	135 °C	Operating temperature, min.	-60 °C
Lid attachment	4 hinges and M6 hex-head slotted screws SW10	Standards	DIN EN 62208 - Empty enclosure standard, DIN EN 61373 Class 1B**, DIN EN 15085-2, EN 60079-0, EN 60079-7, EN 60079-31, IEC 60079-0, IEC 60079-7, IEC 60079-31
Surface finish	electropolished	Impact resistance	10 J version standard, 7 joules in acc. with IEC 60079-0
Protection degree	IP66, IP67	Material	Stainless steel 1.4404 (316L)
Seal material	Silicone	Torque for lid screws	2.5 Nm
Enclosure attachment	4 welded-on mounting feet with 11 mm holes (2 slotted feet and 2 cross- shaped feet)	Seal material of cover	Silicone
Note: protection class	If used in temperature ranges above 105 °C, IP protection is limited to IP 66.	Seal material of flange plate	Silicone
Protection class (UL)	Type 3, Type 4X, Type 12	Number of lid screws	4
Gland plates	Bottom	Opening angle lid	130.00°
Flange plate	Yes	Lid	Yes
Position PE bolts	Enclosure side C		
Housing earth			
Touth analogue say:	Wolded on MC -t-inle-	Earth, enclosure, external	Continuous M10 earth
Earth, enclosure, cover	Welded-on M6 stainless- steel earth stud in enclosure body and lid.	Earth, enclosure, external	stud in body enclosure
Earth, enclosure, internal	Welded-on M6 stainless- steel earth stud in enclosure body and lid.		
horizontal assembly			
WDU 10 / ZDU 10	2x30	WDU 16 / ZDU 16	2x24
	2AJU	**DO 10 / ZDO 10	∠∧∠ Ŧ
WDU 2,5 / ZDU 2,5 / IDU 2,5	3x59	WDU 35 / ZDU 35	1x18

Creation date 23.07.2025 10:49:58 MEZ





Weidmüller Interface GmbH & Co. KG

4

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

vertical assembly	vert	ical	asse	embly	v
-------------------	------	------	------	-------	---

WDU 10 / ZDU 10	2x30	WDU 16 / ZDU 16	2x24
WDU 2,5 / ZDU 2,5 / IDU 2,5	3x59	WDU 35 / ZDU 35	1x18
WDU 4 / ZDU 4	3x49	WDU 6 / ZDU 6	3x37

Classifications

ETIM 6.0	EC000261	ETIM 7.0	EC000261
ETIM 8.0	EC000261	ETIM 9.0	EC000261
ETIM 10.0	EC000261	ECLASS 9.0	27-18-01-01
ECLASS 9.1	27-18-92-90	ECLASS 10.0	27-18-01-01
ECLASS 11.0	27-18-01-01	ECLASS 12.0	27-18-01-01
ECLASS 13.0	27-18-01-01	ECLASS 14.0	27-18-01-01
ECLASS 15.0	27-18-01-01		



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



Gland plates without earthing studs



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Flange plates

Flange plates in two thicknesses, for easy replacement of pre-assembl

General ordering data

Туре	KTB GP XX4020V AB S4 3MM	Version	
Order No.	8000112982	Klippon TB (Terminal Box), flange plate, straight, Height: 396 mm,	
GTIN (EAN)	4099986799240	Width: 167 mm, Depth: 3 mm, Gland plates: Bottom, top, Material:	
Qty.	1 ST	Stainless steel 1.4404 (316L), electropolished, silver	

Gland plates with earthing studs



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Flange plates

Flange plates in two thicknesses, for easy replacement of pre-assembl

General ordering data

Туре	KTB GP XX4020V AB S4 PE	Version
Order No.	8000114910	Klippon TB (Terminal Box), flange plate, straight, Height: 396 mm,
GTIN (EAN)	4099986797505	Width: 167 mm, Depth: 3 mm, Gland plates: top, Bottom, Material:
Qty.	1 ST	Stainless steel 1.4404 (316L), electropolished, silver

Gland plates made out of stainless steel - 6 mm



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Flange plates

Flange plates in two thicknesses, for easy replacement of pre-assembl

5

General ordering data

Туре	KTB GP XX4020V AB S4 6MM	Version
Order No.	8000114137	Klippon TB (Terminal Box), flange plate, straight, Height: 396 mm,
GTIN (EAN)	4099986804753	Width: 167 mm, Depth: 6 mm, Gland plates: top, Bottom, Material:
Qty.	1 ST	Stainless steel 1.4404 (316L), electropolished, silver



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

400 x 400mm



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Mounting plates

Mounting plates, with and without hole patterns, for longitudinal and transverse mounting of DIN mounting rails or components directly onto the mounting plate.

General ordering data

Type	KTB MOPL 4040 MSZN	Version
Order No.	<u>8000110195</u>	Klippon TB (Terminal Box), Mounting plate, Height: 351 mm, Width:
GTIN (EAN)	4099986779334	345 mm, Depth: 1.5 mm, Material: Sheet steel, galvanized, silver
Qty.	1 ST	
Туре	KTB MOPL 4040 MSZN H	Version
Order No.	<u>8000115915</u>	Klippon TB (Terminal Box), Mounting plate, Height: 351 mm, Width:
GTIN (EAN)	4099986783034	345 mm, Depth: 1.5 mm, Material: Sheet steel, galvanized, silver
Qty.	1 ST	
Туре	KTB MOPL 4040 S2N H	Version
Order No.	8000115904	Klippon TB (Terminal Box), Mounting plate, Height: 351 mm, Width:
GTIN (EAN)	4099986782938	345 mm, Depth: 1.5 mm, Material: Stainless steel 1.4301 (304),
Qty.	1 ST	untreated, silver

Type label holder



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Nameplate holders

There are a variety of designed label holders available for prominent display as required and for additional nameplates as needed.

General ordering data

Type	TPSDHA KTB 70X70M3 S2 R	Version
Order No.	1279320000	Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height: 70
GTIN (EAN)	4050118070101	mm, Width: 70 mm, Depth: 20 mm, Material: Stainless steel 1.4301,
Qty.	1 ST	Mirror polished, silver

Creation date 23.07.2025 10:49:58 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Installation material



Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

Mounting hardware kits

Mounting hardware kits are available for quick and easy installation of type label holders, document holders and rain hoods.

The label fastening set – SD is required to install a plastic (Trafolyte) ID or type label. With the aid of this set can you mount the ID or type label directly on the enclosure cover. The label fastening set has been specially developed for this purpose. Only by using this fastening set can you ensure that there will be no leaks into the enclosure or damage to the label.

The universal fastening set – TPSD has been developed to enable secure and quick installation of type label holders, rain covers or document holders, for example. By using this fastening set, the risk of leaks can be minimised, if not avoided.

General ordering data

Type	SD FIXING SET	Version
Order No.	1285200000	Klippon TB (Terminal Box), Identification plate fixing set, Height: 12
GTIN (EAN)	4050118075472	mm, Width: 12 mm, Depth: 16.4 mm, Material: Stainless steel, rust-
Qty.	1 ST	proof, untreated, silver
Туре	TPSD FIXING SET KTB	Version
Type Order No.	TPSD FIXING SET KTB 1252190000	Version Klippon TB (Terminal Box), Type plate fixings set, Material: Stainless

Earthing stud



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Earthing bolt

Earthing bolts to exchange as a complete component in two versions – brass and stainless steel.

General ordering data

Creation date 23.07.2025 10:49:58 MEZ

deficial ordering data		
Туре	PEBZ M10 KTB BR SET	Version
Order No.	<u>1192680000</u>	Klippon TB (Terminal Box), Earthing stud, Miscellaneous, Height: 21
GTIN (EAN)	4032248974641	mm, Width: 21 mm, Depth: 48.7 mm, Material: Brass, untreated,
Qty.	1 ST	silver



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Туре	PEBZ M10 KTB S4 SET	Version
Order No.	1192690000	Klippon TB (Terminal Box), Earthing stud, Miscellaneous, Height:
GTIN (EAN)	4032248974658	21 mm, Width: 21 mm, Depth: 48.7 mm, Material: Stainless steel
Qty.	1 ST	1.4404, untreated, silver

TS 20



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Terminal rails

The mounting rails are available in two sizes for mounting DIN rails (e.g. electronics, terminals) components in the enclosures.

General ordering data

Туре	TS20/CX10 ST ZN 4040 HOR	Version
Order No.	<u>8000117051</u>	Klippon TB (Terminal Box), Enclosures, with slot, Height: 20 mm,
GTIN (EAN)	4099986829909	Width: 366 mm, Depth: 10 mm, Material: Steel, galvanized, silver
Qty.	20 ST	
Туре	TS20/CX10 ST ZN 4040 VER	Version
Type Order No.	TS20/CX10 ST ZN 4040 VER 8000117038	Version Klippon TB (Terminal Box), Enclosures, Height: 20 mm, Width: 366
	'	

Depth 15 mm



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Terminal rails

The mounting rails are available in two sizes for mounting DIN rails (e.g. electronics, terminals) components in the enclosures.

General ordering data

Туре	TS35X15 ST KTB4040 HOR	Version
Order No.	8000116371	Klippon TB (Terminal Box), Enclosures, without slot, Height: 35 mm,
GTIN (EAN)	4099986820791	Width: 345 mm, Depth: 15 mm, Material: Steel, galvanic zinc plated
Qty.	20 ST	and passivated, silver
Туре	TS35X15 ST KTB4040 VER	Version
Type Order No.	TS35X15 ST KTB4040 VER 8000116352	Version Klippon TB (Terminal Box), Enclosures, without slot, Height: 35 mm,
• •		

Creation date 23.07.2025 10:49:58 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Depth 7.5 mm



Integrate, expand and customise: The ideal expansion for every application

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Terminal rails

The mounting rails are available in two sizes for mounting DIN rails (e.g. electronics, terminals) components in the enclosures.

General ordering data

Type	TS35X7.5 ST KTB4040 HOR	Version
Order No.	<u>8000116111</u>	Klippon TB (Terminal Box), Enclosures, without slot, Height: 35 mm,
GTIN (EAN)	4099986820586	Width: 345 mm, Depth: 7.5 mm, Material: Steel, galvanic zinc plated
Qty.	20 ST	and passivated, silver
Туре	TS35X7.5 ST KTB4040 VER	Version
Type Order No.	TS35X7.5 ST KTB4040 VER 8000116101	Version Klippon TB (Terminal Box), Enclosures, without slot, Height: 35 mm,
• •		

Mounting plates



Mounting plates, with and without hole patterns, for longitudinal and transverse mounting of DIN mounting rails or components directly onto the mounting plate.

General ordering data

Туре	GFSC M5X10 TX20 SET	Version
Order No.	<u>1274150000</u>	Klippon EB (Essential Box), Mounting screw, Height: 13.3 mm, Width:
GTIN (EAN)	4050118063820	8.5 mm, Depth: 8.5 mm, Material: Steel, galvanized, galvanic zinc
Qty.	1 ST	plated and passivated, silver

Creation date 23.07.2025 10:49:58 MEZ



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Installation material



Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

Mounting hardware kits

Mounting hardware kits are available for quick and easy installation of type label holders, document holders and rain hoods.

The label fastening set – SD is required to install a plastic (Trafolyte) ID or type label. With the aid of this set can you mount the ID or type label directly on the enclosure cover. The label fastening set has been specially developed for this purpose. Only by using this fastening set can you ensure that there will be no leaks into the enclosure or damage to the label.

The universal fastening set – TPSD has been developed to enable secure and quick installation of type label holders, rain covers or document holders, for example. By using this fastening set, the risk of leaks can be minimised, if not avoided.

General ordering data

Туре	FKSC M6X8 D9/SW3	Version
Order No.	0642600000	Klippon TB (Terminal Box), Mounting screw, Material: Steel
GTIN (EAN)	4008190058258	
Qty.	50 ST	

Creation date 23.07.2025 10:49:58 MEZ