HDC KIT HE-P 10.110



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com





HDC kits are standardized kits for assembling complete plug-in connectors.

The HDC kits normally consist of a male insert, a female insert, a plug housing, a bulkhead housing and a cable gland.

Weidmüller offers a range of standard connector combinations with metric or PG cable entry threads.

The PUSH IN connection is a direct-insert method of connection. The preprocessed wire can be inserted directly into the wire connection without the need for any tools. PUSH IN technology

General ordering data

Version	RockStar® HDC kits-Heavy-duty connectors, Kit, HE, Size: 4, Poles: 10, PUSH IN, 500 V, 16 A, diecast aluminium, PG 16	
Order No.	<u>1027680000</u>	
Туре	HDC KIT HE-P 10.110	
GTIN (EAN)	AN) 4032248770694	
Qty.	1 ST	



HDC KIT HE-P 10.110



Weidmüller Interface GmbH & Co. KG

EC002943

EC002943

27-44-02-92

27-44-02-92

27-44-02-92

27-44-02-92

2

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Approvals			
POUS	Conform		
ROHS	Conform		
Dimensions and weights			
Net weight	488 g		
	400 g		
Temperatures			<u> </u>
Limit temperature	-40 °C 100 °C		
Environmental Product Compl	iance	'	
RoHS Compliance Status	Compliant with exemption		
RoHS Exemption (if applicable/known)	6c		
REACH SVHC	Lead 7439-92-1, Potassium perfluorobutane sulfonate 29420-49-3		
SCIP	bfb1c983-6f18-4ba4-8907	-38aad6aee076	
General data			
Housing main material	diecast aluminium	Surface finish	Powder coating
Protection degree	IP65 (in plugged	Series	HE
Totection degree	condition)	Selies	IIL
Material of locking element	Stainless steel, rust-proof		
Version			
Size of cable entries	PG 16	Number of cable entry side ways	1
Type of connection	PUSH IN	Number of cable entry sideways Size	<u>1</u> 4
Colour (RAL)	RAL 7035	BG	4
General data	HAE 7033	ьс	
General data			,
Number of poles	10	Connection type PE	Screw connection
Size	4	Cable glands	PG 16
Material	diecast aluminium	Series	HE
Rated voltage (DIN EN 61984)	500 V	Rated current (DIN EN 61984)	16 A
BG	4		
Version			
	PUSH IN	Size	4
Type of connection	FUSITIN	SIZE	
Type of connection		Conductor cross section min	O E mm ²
Type of connection Conductor cross-section, max. Surface finish	4 mm ² Powder coating	Conductor cross-section, min. Material	0.5 mm² diecast aluminium

Creation date 20.07.2025 05:05:46 MEZ

Classifications

ETIM 6.0

ETIM 8.0

ETIM 10.0

ECLASS 9.1

ECLASS 11.0

ECLASS 13.0

ECLASS 15.0

Catalogue status / Drawings

ETIM 7.0

ETIM 9.0

ECLASS 9.0

ECLASS 10.0

ECLASS 12.0

ECLASS 14.0

EC002943

EC002943

EC002943

27-44-01-90

27-44-02-92

27-44-02-92

27-44-02-92

HDC KIT HE-P 10.110



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

HDC COS

Various accessories are available for our inserts. This includes coding elements for the inserts.

General ordering data

Туре	HDC COS 16	Version
Order No.	<u>1431000000</u>	Heavy-duty connectors, Accessories, Coding System
GTIN (EAN)	4008190052706	
Qty.	1 ST	
Туре	HDC COS 24	Version
Order No.	<u>1430900000</u>	Heavy-duty connectors, Accessories, Coding System
GTIN (EAN)	4008190077228	
Qty.	1 ST	
Туре	HDC COS 32	Version
Order No.	<u>1430800000</u>	Heavy-duty connectors, Accessories, Coding System
GTIN (EAN)	4008190176181	
Qty.	1 ST	

SPB

Various accessories are available for our inserts. This includes coding elements for the inserts.

General ordering data

Туре	SPB-M 3	Version
Order No.	1203600000	Heavy-duty connectors, Accessories, Lock bolts
GTIN (EAN)	4008190120047	
Qty.	100 ST	

Catalogue status / Drawings 3