

PSSu E PD-T

314195



PSSu, electronic module, passive, voltage distribution, connection periphery supply 24 V DC 10 A, connection C-rail, for increased environmental requirements.

Technical details

General data

Approval: CE, UKCA, cULus Listed

Application range: Standard

Technical data

Environmental data

Climatic suitability to ...: EN 60068-2-30, EN 60068-2-2, EN 60068-2-1, EN 60068-2-78, EN 60068-2-14

Ambient temperature standard: EN 60068-2-14

Ambient temperature: -40 - 70 °C

Storage temperature standard: EN 60068-2-1/-2

Climatic suitability standard: EN 60068-2-30, EN 60068-2-78

Humidity rating: 93 % r. h. at 40 °C

Condensation permitted?: Briefly

Perm. operating height ASL: 5000 m

EMC to standard ...: EN 61000-4-4, EN 61000-6-2, EN 61000-4-5, EN 61000-4-6, EN 61000-6-4, EN 61000-4-2, EN 61000-4-3

Vibration to standard ...: EN 60068-2-6

Acc. shock to standard1: 15g

Clearance & creepage dist. to: EN 60664-1

Overvoltage category: II

Pollution degree clear.&creep.: 2

Protection type standard:	EN 60529
Protection type, housing:	IP20
Mechanical data	
Housing material lower section:	PC
Housing material front plate:	PC
Housing material code:	PA
Terminal style:	plug-in
Height dimension:	76 mm
Width dimension:	12.6 mm
Depth dimension:	60.2 mm
Net weight:	28 g
Gross weight:	37 g
Name of coding element:	A
Colour of coding element:	Light grey
Environment	
REACH compliance:	contains min. 1 SVHC-substance
WEEE classification (08/2018):	5 devices (feed size < 50cm)
Commercial data	
ECLASS version:	ECLASS-13
ECLASS Reference Feature:	27242610
ETIM Version:	ETIM-9.0
ETIM Reference Group:	EG000024
ETIM Reference Feature:	EC001600
UNSPSC 25:	39122331
GTIN:	4046548049121
Volume:	0.049 dm3
Harmonized System Code:	85044095
Type of tariff number:	TARIC
Use of customs tariff number:	Ausfuhr, Einfuhr

Quantity per packaging unit:

1

Obligatory accessories



314600

PSSu BP 1/8 S-T



314601

PSSu BP 1/8 C-T



314610

PSSu BP-C 1/8 S-T



314611

PSSu BP-C 1/8 C-T



314618

PSSu BP 1/12 S-T

314619

PSSu BP 1/12 C-T



314620

PSSu BP-C 1/12 S-T



314621

PSSu BP-C 1/12 C-T

Optional accessories



312900

PSSu A ET (10 pcs.)



312901

PSSu A ETM (2 pcs.)



312949

PSSu A ET PE (10 pcs.)



312958

PSSu A LA0 (10 x 108 pcs.)



312967

PSSu A LA0.1 (10 x 108 pcs.)



314902

PSSu A EC-T