

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Used for mounting batteries that cannot be mounted on DIN rails.



## Product description

Mounting set, consisting of battery frame for universal panel mounting or surface mounting, 2 x cross dowel (M6) with collar, 2 x screw (M6 x 140), 2 x washer (6.4 x 12), 1 x battery retaining bracket with fixing bracket, and 4 x screw (M3 x 14).

## Commercial data

Item number	2320458
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	CMUEZ9
GTIN	4046356933131
Weight per piece (including packing)	5,500 g
Weight per piece (excluding packing)	5,410 g
Customs tariff number	73269098
Country of origin	DE



# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

## Technical data

### Product properties

Product family	Mounting material
----------------	-------------------

### Dimensions

#### Item dimensions

Width	464 mm
Height	201 mm
Depth	205 mm

### Material specifications

Housing material	Steel, powder-coated
------------------	----------------------

### Environmental and real-life conditions

#### Ambient conditions

Shock (operation)	15g, 11 ms, half sine (IEC 60068-2-27)
Vibration (operation)	0,7g (DNV / IEC 60068-2-6)

### Approvals

#### Shipbuilding data

Vibration	Class A
-----------	---------




# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

## Approvals

 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/2320458>



**LR**

Approval ID: LR22136091TA



**BV**

Approval ID: 41516/B0 BV

**ABS**

Approval ID: 22-2244289-PDA



# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

## Classifications

### ECLASS

ECLASS-13.0	27059090
ECLASS-15.0	27059090

### ETIM

ETIM 10.0	EC002839
-----------	----------

### UNSPSC

UNSPSC 21.0	26111700
-------------	----------



2320458  
<https://www.phoenixcontact.com/pc/products/2320458>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

## Accessories

### UPS-BAT/VRLA-WTR/24DC/26AH - Battery module

2320429

<https://www.phoenixcontact.com/pc/products/2320429>



Battery module (device with battery), lead AGM, VRLA technology 24 V DC, 26 Ah, tool-free battery change, automatic detection, and communication with QUINT UPS-IQ

---

### UPS-BAT/PB/24DC/20AH - Battery module

1348516

<https://www.phoenixcontact.com/pc/products/1348516>



Battery module (device with battery), VRLA-AGM, 24 V DC, 20 Ah, automatic detection and communication with QUINT UPS-IQ



# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/pc/products/2320458>

## UPS-BAT/PB/24DC/40AH - Battery module

1354641

<https://www.phoenixcontact.com/pc/products/1354641>



Battery module (device with battery), VRLA-AGM, 24 V DC, 40 Ah, automatic detection and communication with QUINT UPS-IQ

---

## UPS-BAT/VRLA-WTR/24DC/13AH - Battery module

2320416

<https://www.phoenixcontact.com/pc/products/2320416>



Battery module (device with battery), lead AGM, VRLA technology 24 V DC, 13 Ah, tool-free battery change, automatic detection, and communication with QUINT UPS-IQ

---

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)